

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5845	455/575.1.ccls. or 455/566.ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L2	4462696	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L3	2843	L1 and L2	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L4	39	L3 and (landscape or portrait) near4 display	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L5	490	(display or screen) same (landscape or portrait) same sensor	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L6	139	L5 and L2	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L7	2117	electrode near4 liquid same sensor	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L8	4462696	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L9	1308	L7 and L8	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L10	469	L9 and display	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L11	204	L10 and (horizontal or vertical or portrait or landscape)	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L12	4	L10 and (portrait or landscape)	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L13	4101	dielectric adj fluid	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L14	731	L13 and sensor and electrode	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L15	409	L14 and display	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L16	196	L15 and L8	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L17	1681	spirit adj level	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L18	4	L17 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L19	5845	455/575.1.ccls. or 455/566.ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30

L20	4462696	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L21	2843	L19 and L20	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L22	39	L21 and (landscape or portrait) near4 display	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L23	490	(display or screen) same (landscape or portrait) same sensor	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L24	139	L23 and L20	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L25	2117	electrode near4 liquid same sensor	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L26	4462696	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L27	1308	L25 and L26	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L28	469	L27 and display	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L29	204	L28 and (horizontal or vertical or portrait or landscape)	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L30	4	L28 and (portrait or landscape)	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L31	4101	dielectric adj fluid	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L32	731	L31 and sensor and electrode	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L33	409	L32 and display	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L34	196	L33 and L26	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L35	1681	spirit adj level	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L36	4	L35 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L37	50	digital same spirit near2 level	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L38	4	\$5phone same spirit near2 level	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L39	68	\$5phone and spirit near2 level	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L40	373	level near4 emulator	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L41	96	L40 and \$5phone	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30

L42	17	(bubble or spirit) near4 level and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L43	2	(bubble or spirit) near4 level same emulat\$4	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L44	373	(bubble or spirit) near4 level same display\$4	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L45	4462696	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L46	191	L44 and L45	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L47	6	("5602566" "6201554" "6400376" "6466198" "6567068" "6567101").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L48	13	("6690358").URPN.	USPAT	OR	ON	2010/03/18 13:30
L49	6	("5602566" "6201554" "6400376" "6466198" "6567068" "6567101").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L50	1	carpenter near4 level and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L51	44777	455/566.ccls. and motion or accelerometer or incline near2 sensor	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L52	29891	L51 and level	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L53	463	455/566.ccls. and (motion or accelerometer or incline near2 sensor)	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L54	194	L53 and level	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L55	4462696	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L56	52	L54 and L55	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/18 13:30
L57	64	dong near2 zhu.in.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L58	1	dong near2 zhu.in. and inclinometer	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L59	2246	bar same display and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L60	1454	L59 and @ad<="20060317"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L61	901	L59 and @ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30

L62	643	L61 not bar near2 code	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L63	1	L62 and scroll near4 bar and tilt	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L64	320	scroll near4 bar and "455"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L65	96	L64 and @ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L66	2	L65 and tilt	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L67	5845	455/575.1.ccls. or 455/566. ccls.	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L68	4462696	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L69	2843	L67 and L68	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L70	536	L69 and (incline or sensor or inclination or elevat\$3)	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L71	217	L70 and level	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L72	3477	portable near4 level	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L73	1936	L72 and display	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L74	1206	L73 and (phone or telephone or cellphone or cell-phone or PDA)	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
L75	530	L74 and (spirit or bubble)	US-PGPUB; USPAT	OR	ON	2010/03/18 13:30
S1	3865	455/575.1.ccls. or 455/566. ccls.	US-PGPUB; USPAT	OR	ON	2007/08/31 10:14
S2	4399344	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2007/08/31 10:14
S3	2640	S1 and S2	US-PGPUB; USPAT	OR	ON	2007/08/31 10:14
S4	33	S3 and (landscape or portrait) near4 display	US-PGPUB; USPAT	OR	ON	2007/08/31 10:18
S5	221	(display or screen) same (landscape or portrait) same sensor	US-PGPUB; USPAT	OR	ON	2007/08/31 10:18
S6	127	S5 and S2	US-PGPUB; USPAT	OR	ON	2007/08/31 11:37
S7	1651	electrode near4 liquid same sensor	US-PGPUB; USPAT	OR	ON	2007/08/31 11:38
S8	4399344	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2007/08/31 11:38

S9	1285	S7 and S8	US-PGPUB; USPAT	OR	ON	2007/08/31 11:39
S10	459	S9 and display	US-PGPUB; USPAT	OR	ON	2007/08/31 11:38
S11	201	S10 and (horizontal or vertical or portrait or landscape)	US-PGPUB; USPAT	OR	ON	2007/08/31 11:40
S12	3	S10 and (portrait or landscape)	US-PGPUB; USPAT	OR	ON	2007/08/31 11:44
S13	3385	dielectric adj fluid	US-PGPUB; USPAT	OR	ON	2007/08/31 11:45
S14	563	S13 and sensor and electrode	US-PGPUB; USPAT	OR	ON	2007/08/31 11:45
S15	298	S14 and display	US-PGPUB; USPAT	OR	ON	2007/08/31 11:45
S16	192	S15 and S8	US-PGPUB; USPAT	OR	ON	2007/08/31 11:45
S17	1458	spirit adj level	US-PGPUB; USPAT	OR	ON	2008/03/05 14:32
S18	4	S17 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/05 14:33
S19	4201	455/575.1.ccls. or 455/566. ccls.	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S20	4419836	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S21	2702	S19 and S20	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S22	34	S21 and (landscape or portrait) near4 display	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S23	241	(display or screen) same (landscape or portrait) same sensor	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S24	130	S23 and S20	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S25	1734	electrode near4 liquid same sensor	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S26	4419836	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S27	1291	S25 and S26	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S28	461	S27 and display	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S29	201	S28 and (horizontal or vertical or portrait or landscape)	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S30	3	S28 and (portrait or landscape)	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56

S31	3531	dielectric adj fluid	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S32	591	S31 and sensor and electrode	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S33	313	S32 and display	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S34	192	S33 and S26	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S35	1458	spirit adj level	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S36	4	S35 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/05 17:56
S37	43	digital same spirit near2 level	US-PGPUB; USPAT	OR	ON	2008/11/04 10:45
S38	3	\$5phone same spirit near2 level	US-PGPUB; USPAT	OR	ON	2008/11/04 11:02
S39	54	\$5phone and spirit near2 level	US-PGPUB; USPAT	OR	ON	2008/11/04 11:04
S40	301	level near4 emulator	US-PGPUB; USPAT	OR	ON	2008/11/04 11:15
S41	78	S40 and \$5phone	US-PGPUB; USPAT	OR	ON	2008/11/04 11:15
S42	16	(bubble or spirit) near4 level and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/04 11:19
S43	2	(bubble or spirit) near4 level same emulat\$4	US-PGPUB; USPAT	OR	ON	2008/11/04 11:21
S44	313	(bubble or spirit) near4 level same display\$4	US-PGPUB; USPAT	OR	ON	2008/11/04 11:21
S45	4439907	@ad< = "20030917"	US-PGPUB; USPAT	OR	ON	2008/11/04 11:21
S46	190	S44 and S45	US-PGPUB; USPAT	OR	ON	2008/11/04 11:21
S47	6	("5602566" "6201554" "6400376" "6466198" "6567068" "6567101").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/04 11:47
S48	5	("6690358").URPN.	USPAT	OR	ON	2008/11/04 11:48
S49	6	("5602566" "6201554" "6400376" "6466198" "6567068" "6567101").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/04 12:34
S50	1	carpenter near4 level and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 13:27
S51	36764	455/566.ccls. and motion or accelerometer or incline near2 sensor	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 13:28

S52	24265	S51 and level	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 13:28
S53	302	455/566.ccls. and (motion or accelerometer or incline near2 sensor)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 13:28
S54	129	S53 and level	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 13:28
S55	4439907	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2008/11/05 13:29
S56	51	S54 and S55	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/05 13:29
S57	54	dong near2 zhu.in.	US-PGPUB; USPAT	OR	ON	2008/11/05 18:02
S58	1	dong near2 zhu.in. and inclinometer	US-PGPUB; USPAT	OR	ON	2008/11/05 18:03
S59	1864	bar same display and "455"/ \$.ccls.	US-PGPUB; USPAT	OR	ON	2009/04/06 12:57
S60	1356	S59 and @ad<="20060317"	US-PGPUB; USPAT	OR	ON	2009/04/06 12:57
S61	877	S59 and @ad<="20030917"	US-PGPUB; USPAT	OR	ON	2009/04/06 12:58
S62	627	S61 not bar near2 code	US-PGPUB; USPAT	OR	ON	2009/04/06 12:59
S63	1	S62 and scroll near4 bar and tilt	US-PGPUB; USPAT	OR	ON	2009/04/06 13:01
S64	250	scroll near4 bar and "455"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2009/04/06 13:01
S65	92	S64 and @ad<="20030917"	US-PGPUB; USPAT	OR	ON	2009/04/06 13:02
S66	2	S65 and tilt	US-PGPUB; USPAT	OR	ON	2009/04/06 13:02
S67	5411	455/575.1.ccls. or 455/566. ccls.	US-PGPUB; USPAT	OR	ON	2009/09/21 11:05
S68	4455863	@ad<="20030917"	US-PGPUB; USPAT	OR	ON	2009/09/21 11:05
S69	2824	S67 and S68	US-PGPUB; USPAT	OR	ON	2009/09/21 11:05
S70	533	S69 and (incline or sensor or inclination or elevat\$3)	US-PGPUB; USPAT	OR	ON	2009/09/21 11:05
S71	216	S70 and level	US-PGPUB; USPAT	OR	ON	2009/09/21 11:05
S72	3320	portable near4 level	US-PGPUB; USPAT	OR	ON	2009/09/21 11:36
S73	1836	S72 and display	US-PGPUB; USPAT	OR	ON	2009/09/21 11:37

S74	1135	S73 and (phone or telephone or cellphone or cell-phone or PDA)	US-PGPUB; USPAT	OR	ON	2009/09/21 11:37
S75	498	S74 and (spirit or bubble)	US-PGPUB; USPAT	OR	ON	2009/09/21 11:37

3/ 18/ 2010 1:43:49 PM

C:\ Documents and Settings\ channon\ My Documents\ EAST\ Workspaces\ Zhu - 10572710.wsp